

J-HOOKS – Cable management that’s fast and secure.

J-Hooks provide an easy-to-install, non-continuous cable support for all types of telecommunication, data and power cabling. They also are perfect for low voltage building management and fire protection cabling.

Our CJ Series is engineered to provide stress-free cable support for multiple cables and features a structural design for optimal strength and tapered edges to reduce cable sheath damage. Multiple pre-drilled holes reduce on-site modification at installation. J-Hooks can be attached to a variety of structures and are available with multiple attachment options that allow quick and easy cable installation virtually anywhere.

The CJHP Series J-Hooks are plastic coated and feature a built in latch that allows you to lock the bendable flap into place – up to 50 times with no signs of metal fatigue. CJHP hooks combine the best features of both metal and plastic, providing strength and a slick, no-bur surface to make pulling cable easy. All CJHP hooks are plenum safe.



FEATURES


- Broad product line
- Sturdy steel construction
- Smooth tapered edges
- UL load tested
- Simple one person installation
- Engineered for the future
- RoHS compliant
- Recyclable and produced with over 30% recycled steel
- No bonding/grounding needed
- Meets TIA-568-C & TIA 569-C and complies with EN 50174-2

BENEFITS

- CJ hooks are available in ¾” to 4” sizes with multiple attachment options; CJHP hooks are available in 1” to 3” sizes with two attachment options
- Provides optimal support for electrical and high-performance data cables (Including Cat 5e, Cat 5, Cat 6A, Cat 7, and fiber optic)
- Reduces pressure points for ultimate cable protection
- cULus listed
- Labor savings
- Accommodates future emerging data cables
- Environmentally friendly
- Great for the environment
- Cost savings
- Ensures that software and applications running on the network are able to perform as designed and work seamlessly together

COMPLIANCE





CJ Load Capacity Table					
	HOOK SIZE	LOAD CAPACITY	CABLE CAPACITY		
			IN	LBS	4-PAIR UTP CAT 5E
CJ12	3/4	17	16	10	16
CJ21	1 5/16	17	50	32	50
CJ32	2	17	80	50	80
CJ64	4	50	300	185	300

CJ Attachment Options				
W <p>Bat wing 12 gage – 1/4" ATR</p>	AC <p>90° angled clip – 1/4" hole</p>	AC6 <p>90° angled clip – 3/8" hole</p>	HOK24 <p>Knock-on steel beam clamp – 1/8" to 1/4"</p>	HOK58 <p>Knock-on steel beam clamp – 5/16" to 1/2"</p>
PBC <p>Pressed beam clamp – up to 1/2"</p>	CPBC <p>Angled clip and pressed beam clamp – up to 1/2"</p>	SSBC <p>Assembled to SSBC – 1/8" to 1/2"</p>	ACSSB <p>Angled clip and SSBC – swivels 360°</p>	ACHOK24 <p>Knock-on clamp and angled clip – swivels 360°</p>

PART NUMBERING EXAMPLE
CJ12HOK24

J-HOOK ——— ATTACHMENT
Choose between CJ12, CJ21, CJ32 & CJ64 Choose option


CJ12 – 3/4" J-HOOK					
	PKG QTY	HOOK SIZE (IN)	DESCRIPTION	WEIGHT (LBS)	EZ
CJ12	50	3/4	Basic J-Hook	2.5	F00001
CJ12W	50	3/4	J-Hook w/ Bat Wing	3.5	F00002
CJ12AC	50	3/4	J-Hook w/ 90 Degree Angle Clip	4	F00003
CJ12HOK-24	50	3/4	J-Hook w/ Knock on Steel Beam Clamp – 1/8" to 1/4"	5	F00004
CJ12HOK-58	50	3/4	J-Hook w/ Knock on Steel Beam Clamp – 5/16" to 1/2"	5	F00005
CJ12PBC	50	3/4	J-Hook w/ Pressed Beam Clamp	8.5	F00006
CJ12CPBC	50	3/4	J-Hook w/ Angled Clamp and Pressed Beam Clamp	10	F00007
CJ12SSB	50	3/4	J-Hook w/ assembled to SSBC	5.5	F00008
CJ12CSSB	50	3/4	J-Hook w/ angle clip and SSBC – swivels 360°	7	F00009
CJ12ACOK24	50	3/4	J-Hook w/ hammer on and angle clip – swivels 360°	6.5	F00010

CJ21 – 1 5/16" J-HOOK					
	PKG QTY	HOOK SIZE (IN)	DESCRIPTION	WEIGHT (LBS)	EZ
CJ21	50	5/16	Basic J-Hook	6.5	F00011
CJ21W	50	5/16	J-Hook w/ Bat Wing	7.5	F00012
CJ21AC	50	5/16	J-Hook w/ 90 Degree Angle Clip	8.5	F00013
CJ21HOK-24	50	5/16	J-Hook w/ Knock on Steel Beam Clamp – 1/8" to 1/4"	9	F00014
CJ21HOK-58	50	5/16	J-Hook w/ Knock on Steel Beam Clamp – 5/16" to 1/2"	9	F00015
CJ21PBC	50	5/16	J-Hook w/ Pressed Beam Clamp	12.5	F00016
CJ21CPBC	50	5/16	J-Hook w/ Angled Clamp and Pressed Beam Clamp	14	F00017
CJ21SSB	50	5/16	J-Hook w/ assembled to SSBC	9.5	F00018
CJ21CSSB	50	5/16	J-Hook w/ angle clip and SSBC – swivels 360°	11.5	F00019
CJ21ACOK24	50	5/16	J-Hook w/ hammer on and angle clip – swivels 360°	11.5	F00020



CJ32 – 2" J-HOOK					
	PKG QTY	HOOK SIZE (IN)	DESCRIPTION	WEIGHT (LBS)	EZ
CJ32	50	2	Basic J-Hook	7.5	F00021
CJ32W*	50	2	J-Hook w/ Bat Wing	8.5	F00022
CJ32AC	50	2	J-Hook w/ 90 Degree Angle Clip	8.5	F00023
CJ32HOK-24	50	2	J-Hook w/ Knock on Steel Beam Clamp – 1/8" to 1/4"	9.5	F00024
CJ32HOK-58	50	2	J-Hook w/ Knock on Steel Beam Clamp – 5/16" to 1/2"	10	F00025
CJ32PBC	50	2	J-Hook w/ Pressed Beam Clamp	13.5	F00026
CJ32CPBC	50	2	J-Hook w/ Angled Clamp and Pressed Beam Clamp	15	F00027
CJ32SSB	50	2	J-Hook w/ assembled to SSBC	10.5	F00028
CJ32CSSB	50	2	J-Hook w/ angle clip and SSBC – swivels 360°	12.5	F00029
CJ32ACOK24	50	2	J-Hook w/ hammer on and angle clip – swivels 360°	12.5	F00030

* Works with both 1/4 x 20 and 3/8 x 16 rod

CJ64 – 4" J-HOOK					
	PKG QTY	HOOK SIZE (IN)	DESCRIPTION	WEIGHT (LBS)	EZ
CJ64	25	4	Basic J-Hook	7.5	F00031
CJ64W	25	4	J-Hook w/ Bat Wing	8.5	F00032
CJ64AC	25	4	J-Hook w/ 90 Degree Angle Clip – 1/4" hole	12.5	F00039
CJ64HOK-24	25	4	J-Hook w/ Knock on Steel Beam Clamp – 1/8" to 1/4"	9.5	F00033
CJ64HOK-58	25	4	J-Hook w/ Knock on Steel Beam Clamp – 5/16" to 1/2"	10	F00034
CJ64PBC	25	4	J-Hook w/ Pressed Beam Clamp	13.5	F00035
CJ64CPBC	25	4	J-Hook w/ Angled Clamp and Pressed Beam Clamp	15	F00036
CJ64SSB	25	4	J-Hook w/ assembled to SSBC	10.5	F00037
CJ64CSSB	25	4	J-Hook w/ angle clip and SSBC – swivels 360°	12.5	F00038
CJ64AC6	25	4	J-Hook w/ 90 Degree Angle Clip – 3/8" hole	12.5	F00040
CJ64ACOK24	25	4	J-Hook w/ hammer on and angle clip – swivels 360°	12.5	F00041



CJP Load Capacity Table					
	HOOK SIZE	LOAD CAPACITY	CABLE CAPACITY		
			IN	LBS	4-PAIR UTP CAT 5E
CJ16HP	1	17	20	15	20
CJ32HP	2	17	90	60	90
CJ48HP	3	50	200	150	200



CJ16HP					
	PKG QTY	HOOK SIZE (IN)	DESCRIPTION	WEIGHT (LBS)	EZ
CJ16HP	50	1	Basic Plastic Coated CJP Hook w/Latch	2.5	F000051
	50	1	Plastic Coated CJP Hook w/Latch and Bat Wing Clip	4	
	50	1	Plastic Coated CJP Hook w/Latch and Angled Wing Clip	5	

CJ32HP					
	PKG QTY	HOOK SIZE (IN)	DESCRIPTION	WEIGHT (LBS)	EZ
CJ32HP	50	2	Basic Plastic Coated CJP Hook w/Latch	5	F000052
	50	2	Plastic Coated CJP Hook w/Latch and Bat Wing Clip	6.5	
	50	2	Plastic Coated CJP Hook w/Latch and Angled Wing Clip	6.5	

CJ64HP					
	PKG QTY	HOOK SIZE (IN)	DESCRIPTION	WEIGHT (LBS)	EZ
CJ64HP	50	3	Basic Plastic Coated CJP Hook w/Latch	15.5	F000053
	50	3	Plastic Coated CJP Hook w/Latch and Bat Wing Clip	18	
	50	3	Plastic Coated CJP Hook w/Latch and Angled Wing Clip	17.5	

BRIDLE RINGS

Bridle rings are a simple option for smaller bundles of communication or data cabling.

	PKG QTY	RING SIZE (IN)	DESCRIPTION	WEIGHT (LBS)	EZ
CJ4T125	100	1 ¼	Bridle Ring ¼ x 20	6	F000042
CJ4T2	100	2	Bridle Ring ¼ x 20	9	F000043



Use these attachment options to create your own custom J-Hook combinations. Sold in quantities of 100.

CJ Attachment Mounting Hardware			
<p>CJ24</p>	<p>CJ58</p>	<p>CJFMP</p>	<p>CJBC</p>
Knock-on steel beam clamp – 1/8" to 1/4"	Knock-on steel beam clamp – 5/16" to 1/2"	Knock-on spring steel beam clamp – 1/8" to 1/2"	Pressed beam clamp – up to 1/2"
<p>CJSSBC</p>	<p>CJZ14</p>	<p>CJC14</p>	<p>CJBW</p>
Spring steel beam clamp 1/8" – 1/2"	1/8" – 1/4" Z Purlin	1/8" – 1/4" C Purlin	Bat wing 12 gage – 1/4" ATR

J-Hook Trees are the ideal solution for segregating up to five runs of cable following the same cable pathway. They are ready to use with no assembly required in multiple sizes and attachment methods.

These items are not stocked in our inventory. Please contact the manufacturer for shipping information, pricing and other configurations.



CJ TREES					
	HOOK COUNT	WEIGHT (LBS)		HOOK COUNT	WEIGHT (LBS)
1 5/16" VERTICAL TREE SUPPORTS			2" VERTICAL TREE SUPPORTS		
CJ21-SB-2	2	1.4	CJ32-SB-2	2	1.6
CJ21-SB-3	3	2.4	CJ32-SB-3	3	2.6
CJ21-SB-4	4	3.4	CJ32-SB-4	4	3.6
CJ21-SB-5	5	3.9	CJ32-SB-5	5	4.1
w/ ANGLE CLIP			w/ ANGLE CLIP		
CJ21-AC-SB-2	2	1.4	CJ32-AC-SB-2	2	1.6
CJ21-AC-SB-3	3	2.4	CJ32-AC-SB-3	3	2.6
CJ21-AC-SB-4	4	3.4	CJ32-AC-SB-4	4	3.6
CJ21-AC-SB-5	5	3.9	CJ32-AC-SB-5	5	4.1
w/ BEAM CLAMP			w/ BEAM CLAMP		
CJ21-PBC-SB-2	2	1.9	CJ32-PBC-SB-2	2	2.1
CJ21-PBC-SB-3	3	2.4	CJ32-PBC-SB-3	3	2.6
CJ21-PBC-SB-4	4	3.4	CJ32-PBC-SB-4	4	3.6
CJ21-PBC-SB-5	5	4.4	CJ32-PBC-SB-5	5	4.6

CJHP TREES					
	HOOK COUNT	WEIGHT (LBS)		HOOK COUNT	WEIGHT (LBS)
1" VERTICAL TREE SUPPORTS WITH PLASTIC COATED HOOKS			2" VERTICAL TREE SUPPORTS WITH PLASTIC COATED HOOKS		
CJ16HP-SB-2	2	1.4	CJ32HP-SB-2	2	1.6
CJ16HP-SB-3	3	2.4	CJ32HP-SB-3	3	2.6
CJ16HP-SB-4	4	3.4	CJ32HP-SB-4	4	3.6
CJ16HP-SB-5	5	3.9	CJ32HP-SB-5	5	4.1
W/ ANGLE CLIP			W/ ANGLE CLIP		
CJ16HP-AC-SB-2	2	1.4	CJ32HP-AC-SB-2	2	1.6
CJ16HP-AC-SB-3	3	2.4	CJ32HP-AC-SB-3	3	2.6
CJ16HP-AC-SB-4	4	3.4	CJ32HP-AC-SB-4	4	3.6
CJ16HP-AC-SB-5	5	3.9	CJ32HP-AC-SB-5	5	4.1
W/ BEAM CLAMP			W/ BEAM CLAMP		
CJ16HP-PBC-SB-2	2	1.9	CJ32HP-PBC-SB-2	2	2.1
CJ16HP-PBC-SB-3	3	2.4	CJ32HP-PBC-SB-3	3	2.6
CJ16HP-PBC-SB-4	4	3.4	CJ32HP-PBC-SB-4	4	3.6
CJ16HP-PBC-SB-5	5	4.4	CJ32HP-PBC-SB-5	5	4.6



Electrical Wiring Systems

8319 State Route 4
Mascoutah, IL 62258
800.658.4641
www.legrand.us/cablofil

570 Applewood Crescent
Vaughan, Ontario L4K 4B4
905.738.9195
www.legrand.ca