4 Post Cable Management Rack System and Accessories

- Independent adjustable front and rear mounting rails can be adjusted while the rack is secured to the floor
- Printed rack space identification on all equipment rails allows for quick location of rack spaces, speeding installation of rack mount items (shipped numbers up per TIA606 specifications; can be set to number down by flipping the rails)
- · Rack is UL listed for 2,500 lbs. load rating
- Rear rail construction provides a clear ventilation path for side ventilated switches
- Multiple mounting holes in top flanges for securing ladder rack

- Weld nut construction eliminates the need for a second wrench increasing speed and ease of assembly
- Multiple mounting locations for vertical power strips on any of the four posts or on the adjustable mounting rails
- PatchRunner [™] and NetRunner [™] Vertical Cable Managers mount directly to the 4 post rack at any of the four corners to provide a flexible end-to-end cable management solution
- Paint piercing washers included to electrically bond rack for simplified grounding
- For the complete grounding solution, see the StructuredGround [™] Kits for Racks selection guide on pages M.12 – M.13

Н.
Media
Distribution

I. Physical Infrastructure Management

J. Overhead & Underfloor Routing

K. Surface Raceway

1.

Cabinets, Racks & Cable Managemen

M. Grounding & Bonding

N. Industrial

0. Labeling & Identificatior

P. Cable Management Accessories

> Q. Index



R4P

Part Number	Part Description	No. of Rack Spaces^	Std. Pkg. Qty.				
7' 4 Post Rack Threaded Rail							
R4P23	EIA rack with #12-24 threaded rails. Dimensions: 84.0"H x 23.3"W x 23.0"D (2134mm x 591mm x 584mm).	45	1				
R4P	4 post EIA rack with #12-24 threaded rails. Dimensions: 84.0"H x 23.3"W x 30.0"D (2134mm x 591mm x 762mm).	45	1				
R4P36	4 post EIA rack with #12-24 threaded rails. Dimensions: 84.0"H x 23.3"W x 36.0"D (2134mm x 591mm x 914mm).	45	1				
R4P42	4 post EIA rack with #12-24 threaded rails. Dimensions: 84.0"H x 23.3"W x 41.5"D (2134mm x 591mm x 1054mm).	45	1				
7' 4 Post Rack Cage Nut Rail							
R4P23CN	4 post EIA rack with cage nut rails. Dimensions: 84.0"H x 23.3"W x 23.0"D (2134mm x 591mm x 584mm).	45	1				
R4PCN	4 post EIA rack with cage nut rails. Dimensions: 84.0"H x 23.3"W x 30.0"D (2134mm x 591mm x 762mm).	45	1				
R4P36CN	4 post EIA rack with cage nut rails. Dimensions: 84.0"H x 23.3"W x 36.0"D (2134mm x 591mm x 914mm).	45	1				
R4P42CN	4 post EIA rack with cage nut rails. Dimensions: 84.0"H x 23.3"W x 41.5"D (2134mm x 591mm x 1054mm).	45	1				

^One rack space = 1.75" (44.45mm). All product color is black.

System Overview

A.

B. Copper Systems

> C. Fiber

Optic

Systems

D. Power

over

Ethernet

E.

Zone

Cabling

F. Wireless

G. Outlets

4 Post Cable Management Rack System and Accessories (continued)



R4P96



R4PAE1

R4PWF

Change and

RSHLF

B.C OR

RCSTR

Part Number	Part Description	No. of Rack Spaces^	Std. Pkg. Qty.				
8' 4 Post Rack Threaded Rail							
R4P2396	4 post EIA rack with #12-24 threaded rails. Dimensions: 96.0"H x 23.3"W x 23.0"D (2441mm x 591mm x 584mm).	52	1				
R4P96	4 post EIA rack with #12-24 threaded rails. Dimensions: 96.0"H x 23.3"W x 30.0"D (2441mm x 591mm x 762mm).	52	1				
R4P3696	4 post EIA rack with #12-24 threaded rails. Dimensions: 96.0"H x 23.3"W x 36.0"D 2441mm x 591mm x 914mm).	52	1				
R4P4296	4 post EIA rack with #12-24 threaded rails. Dimensions: 96.0"H x 23.3"W x 41.5"D 2441mm x 591mm x 1054mm).	52	1				
8' 4 Post Rack (Cage Nut Rail						
R4P23CN96	4 post EIA rack with cage nut rails. Dimensions: 96.0"H x 23.3"W x 23.0"D (2441mm x 591mm x 584mm).	52	1				
R4PCN96	4 post EIA rack with cage nut rails. Dimensions: 96.0"H x 23.3"W x 30.0"D (2441mm x 591mm x 762mm).	52	1				
R4P36CN96	4 post EIA rack with cage nut rails. Dimensions: 96.0"H x 23.3"W x 36.0"D 2441mm x 591mm x 914mm).	52	1				
R4P42CN96	4 post EIA rack with cage nut rails. Dimensions: 96.0"H x 23.3"W x 41.5"D 2441mm x 591mm x 1054mm).	52	1				
4 Post Rack Ac	cessories						
R4PAE1	Panduit 4 Post Rack Thermal Duct for use with Cisco* 6509, 6509E, 6513, 9513 Director and Juniper 8208 switches.	_	1				
R4PWF	Top trough with waterfall creates pathway above rack. Dimensions: 1.9"H x 26.1"W x 8.5"D (50mm x 662mm x 216mm)	_	1				
RSHLF23	4 post rack mount shelf, 275 lbs. load rating. Dimensions: 1.7"H x 19.0"W x 23.0"D (44mm x 483mm x 584mm).	1	1				
RSHLF	4 post rack mount shelf, 275 lbs. load rating. Dimensions: 1.7"H x 19.0"W x 30.0"D (44mm x 483mm x 762mm).	1	1				
RSHLF36	4 post rack mount shelf, 275 lbs. load rating. Dimensions: 1.7"H x 19.0"W x 36.0"D (44mm x 483mm x 914mm).	1	1				
RCSTR	4 post rack casters.	—	1				
	1						

^One rack space = 1.75" (44.45mm).

All product color is black.

*Cisco is a registered trademark of Cisco Technology Inc.

M. Grounding &

N. Industrial

0. Labeling & Identification

P. Cable Management Accessories

> Q. Index

Table continues on next page

A. System Overview

> B. Copper Systems

C. Fiber Optic Systems D. Power over Ethernet

E. Zone Cabling

F. Wireless

G. Outlets

H. Media

Distribution

I. Physical Infrastructure Management

J. Overhead & Underfloor

Routing

K. Surface Raceway

L. Cabinets, Racks & Cable

Management

Bonding

[®] PHYSICAL INFRASTRUCTURE SYSTEMS

4 Post Cable Management Rack System and Accessories (continued)

B. Copper Systems

A. System

Overview

C. Fiber **Optic** Systems

D. Power over Ethernet

E. Zone Cabling

F.

Wireless

R4PFP

R4PFR

R4PFM

CNSPE

R4PRT

RFAKIT

R4PFL

CVPPB

CVPDUB

G. Outlets

H. Media Distribution

١. Physical Infrastructure

Management J. Overhead &

Underfloor Routing

K. Surface Raceway

L. Cabinets, Racks & Cable Managemen

Μ. Grounding & Bonding

> N. Industrial

R4PRCN

RGCBNJ660P22

Part Number	Part Description	No. of Rack Spaces^	Std. Pkg. Qty.
R4PFP	Adjustable vertical filler panel for Panduit 4 Post Racks blocks by-pass air and directs cold airflow through equipment when used.	45	1
R4PFR	Right vertical finger section for cable management.	11	1
R4PFL	Left vertical finger section for cable management.	11	1
R4PFM	Finger managers for 7 and 8 foot Panduit 4 Post Racks.	-	1
CVPPB	Bracket to vertically mount 1 RU EIA 19" copper and fiber patch panels to the side of the Net-Access [™] Cabinet posts or 4 post racks.	_	1
CNSPE	Net-Access [™] Network Cabinet and 4 post rack end channel slack spools. Package includes one left and one right slack spool and mounting brackets.	_	1
CVPDUB	Bracket for vertical POU mounting to the side of the Net-Access [™] Cabinet posts or 4 post racks (kit of two).	—	1
R4PRT	#12-24 Threaded rails (one pair). 45 RU.	45	1
R4PRCN	Cage nut rails (one pair). 45 RU.	45	1
RFAKIT	Rack anchor kit for concrete floor (set of four).	—	1
CNWS1224-C	#12-24 cage nut and screws.	—	100
CNWSM5-C	M5 screw with cage nut.	—	100
CNWSM6-C	M6 screw with cage nut.	-	100
RGCBNJ660P22	#6 AWG (16mm ²) jumper; 60" (1.52m) length; 45° bent lug on grounding strip side; provided with .16 oz. (5cc) of antioxidant, two each #12-24 x 1/2", M6 x 12mm, #10-32 x 1/2" and M5 x 12mm thread-forming screws, and a copper compression HTAP* for connecting to the MCBN.		1

^One rack space = 1.75" (44.45mm). All product color is black.

Labeling & Identification

0.

P. Cable Management Accessories

> Q. Index