

# DIMMING SOLUTIONS FOR EVERY NEED

AND BUDGET.



## LS SERIES DIMMERS

- Ergonomic design and solid, quality feel
- Sleek, sculpted contemporary design
- Patented Snap-In Light Module for easy nighttime location (sold separately)



## DR SERIES DIMMERS

- Contemporary style matches P&S Decorator Combination Devices
- Illuminated knob indicates light level
- Snap-in LED modules make dimmers easy to find at night (sold separately)
- Available for incandescent and low-voltage lighting



## ROTARY DIMMERS

- Full-range rotary dimming
- Ground lead included on all models
- All models fit standard toggle wall plate





### TOGGLE PRESET DIMMERS

- Convenient preset dimming control
- Combines ON/OFF toggle with separate dimming wheel for light-level control
- Matches appearance of P&S toggle switches



### TOGGLE DIMMERS

- Positive ON/OFF action with smooth brightness control
- Easily replaces standard P&S toggle switches
- No loss of setting during power outages



### RFLC DIMMERS

- Can be controlled from other locations in the home
- Avoids interference with other wireless devices
- Patented overload and short-circuit protection

# Harmony® Dimmers



## \*\*COLOR DESIGNATION

<b>W</b>	White
<b>LA</b>	Light Almond
<b>I</b>	Ivory
<b>BK</b>	Black
<b>-</b>	Brown
<b>GRY</b>	Gray
<b>NI</b>	Nickel
<b>AB</b>	Antique Brass
<b>DB</b>	Dark Bronze



PART NO.	DESCRIPTION	COLOR	RATING
H703PTUTC*	<b>Tru-Universal™</b> Single Pole/3-Way, Preset	Three Interchangeable Face Colors: Ivory, White, Light Almond	120V Incandescent, Halogen & ELV: 700W, MLV: 500VA, CFL/LED: 450W, EFL: 5.5A
H703PTUW		White	
HCL453PTC*	<b>CFL/LED</b> Single Pole/3-Way, Preset	Three Interchangeable Face Colors: Ivory, White, Light Almond	120V, 450W CFL/LED; 700W Incandescent
HCL453PW		White	
HFB83PTC	<b>Fluorescent</b> Single Pole/3-Way, Preset	Three Interchangeable Face Colors: Ivory, White, Light Almond	120V, 8A
HFB83PW		White	
H4FBL3PTC	<b>Fluorescent</b> Single Pole/3-Way, Preset <i>Available June 2015</i>	Three Interchangeable Face Colors: Ivory, White, Light Almond	0-10V
H4FBL3PW		White	
HLV703PTC	<b>Magnetic Low Voltage</b> Single Pole/3-Way, Preset	Three Interchangeable Face Colors: Ivory, White, Light Almond	120V, 700VA
HLV703PW		White	
HLV1103PTC	<b>Magnetic Low Voltage</b> Single Pole/3-Way, Preset	Three Interchangeable Face Colors: Ivory, White, Light Almond	120V, 1100VA
HLV1103PW		White	
H703PTC	<b>Incandescent</b> Single Pole/3-Way, Preset	Three Interchangeable Face Colors: Ivory, White, Light Almond	120V, 700W
H703P**CCV4		White, Antique Brass, Dark Bronze, Nickel	
H1103PTC*		Three Interchangeable Face Colors: Ivory, White, Light Almond	
H1103PW		White	120V, 1100W
HDH163PTC*	<b>Fan Speed Control</b> De-hummer, Single Pole/3-Way	Three Interchangeable Face Colors: Ivory, White, Light Almond	120V, 1.6A
HDH163PW*		White	
H703PMMTUTC	<b>Tru-Universal Multi-Location Master Dimmer</b> Single Pole/3-Way, Preset <i>Available Fall 2015</i>	Three Interchangeable Face Colors: Ivory, White, Light Almond	120V Incandescent, Halogen & ELV: 700W, MLV: 500VA, CFL/LED: 450W, EFL: 5.5A
H703PMMTUW		White	
HCL453PMMTC*	<b>CFL/LED Multi-Location Master Dimmer</b> Single Pole/3-Way, Preset	Three Interchangeable Face Colors: Ivory, White, Light Almond	120V, 450W CFL/LED; 700W Incandescent
HCL453PMMW		White	
HDH163PMMTC	<b>Fan Speed Control Multi-Location Master</b> De-hummer, Single Pole/3-Way <i>Available Fall 2015</i>	Three Interchangeable Face Colors: Ivory, White, Light Almond	120V, 1.6A
HDH163PMMW		White	
HMRTC	<b>Multi-Location Remote</b> Single Pole/3-Way	Three Interchangeable Face Colors: Ivory, White, Light Almond	120V
HMRW		White	

PART NO.	DESCRIPTION	COLOR
HKIT**	Interchangeable Face Plate	Ivory, White, Light Almond, Black, Brown, Gray, Nickel, Antique Brass, Dark Bronze
HMKIT**	Multi-Location Dimmer Interchangeable Face Plate	
HDHKIT**	Multi-Location De-Hummer Fan Speed Control Interchangeable Face Plate	
HMRKIT**	Multi-Location Remote Dimmer Interchangeable Face Plate	

\*Available in VisionPak™ packaging, add "CCV6" to Catalog Number. Example: H703PTUTC6.


All devices are US LISTED.

# TradeMaster® Wide Slide Dimmers



PART NO.	DESCRIPTION	COLOR	RATING
WS1000**	<b>Incandescent</b> Single Pole, Non-Preset	Black, Brown, Ivory, Light Almond	120V, 1000W
WS1000TC		Three Interchangeable Face Colors: Ivory, White, Light Almond	
WS1100**	<b>Incandescent</b> Single Pole, Non-Preset	Black, Brown, Ivory, Light Almond	120V, 1100W
WS1100TC		Three Interchangeable Face Colors: Ivory, White, Light Almond	
WS1103PTC	<b>Incandescent</b> Single Pole/3-Way, Preset	Three Interchangeable Face Colors: Ivory, White, Light Almond	
WS1103PW		White	
WS700**	<b>Incandescent</b> Single Pole, Non-Preset	Black, Brown, Ivory, Light Almond	120V, 700W
WS700TC		Three Interchangeable Face Colors: Ivory, White, Light Almond	
WS703PTC	<b>Incandescent</b> Single Pole/3-Way, Preset	Three Interchangeable Face Colors: Ivory, White, Light Almond	
WS703PW		White	
WSCL450TC	<b>CFL/LED/Incandescent</b> Single Pole, Non-Preset	Three Interchangeable Face Colors: Ivory, White, Light Almond	120VAC, 450W
WSCL450W		White	
WSCL453PTC	<b>CFL/LED/Incandescent</b> Single Pole/3-Way, Preset	Three Interchangeable Face Colors: Ivory, White, Light Almond	
WSCL453PW		White	
WS4FBL3PTC	<b>Fluorescent</b> Single Pole/3-Way, Preset <i>Available July 2015</i>	Three Interchangeable Face Colors: Ivory, White, Light Almond	0-10V
WS4FBL3PW		White	
WSSC53P**CCV6	<b>Fan Speed Control</b> Variable Speed, Preset	Black, Brown, Ivory, Light Almond, White	120V, 5A
WSSC53PTC		Three Interchangeable Face Colors: Ivory, White, Light Almond	
WSLV700**	<b>Magnetic Low Voltage</b> Single Pole, Non-Preset	Black, Brown, Ivory, Light Almond, White	120V, 700VA
WSLV700TC		Three Interchangeable Face Colors: Ivory, White, Light Almond	
WSLV703PTC	<b>Magnetic Low Voltage</b> Single Pole/3-Way, Preset	Three Interchangeable Face Colors: Ivory, White, Light Almond	
WSLV703PW		White	


**COLOR DESIGNATION	
<b>W</b>	White
<b>LA</b>	Light Almond
<b>I</b>	Ivory
<b>BK</b>	Black
<b>-</b>	Brown



PART NO.	DESCRIPTION	COLOR
WSKIT**	Interchangeable Face Plate, Non-Preset	Black, Brown, Ivory, Light Almond, White
WSKITP**	Interchangeable Face Plate, Preset	


All devices are cUL US LISTED.

# TradeMaster® LS Series Dimmers




## \*\*COLOR DESIGNATION

<b>W</b>	White
<b>LA</b>	Light Almond
<b>I</b>	Ivory
<b>BK</b>	Black
<b>-</b>	Brown



PART NO.	DESCRIPTION	COLOR	RATING
LS1000**	<b>Incandescent</b> Single Pole, Non-Preset	Black, Brown, Ivory, Light Almond, White	120V, 1000W
LS1000P**	<b>Incandescent</b> Single Pole, Preset		
LS1003P**	<b>Incandescent</b> 3-Way, Preset		
LS600**	<b>Incandescent</b> Single Pole, Non-Preset	Black, Brown, Ivory, Light Almond, White	120V, 600W
LS600LWV	<b>Incandescent</b> Lighted, Single Pole, Non-Preset	White	
LS600P**	<b>Incandescent</b> Single Pole, Preset	Black, Brown, Ivory, Light Almond, White	
LS603P**	<b>Incandescent</b> 3-Way, Preset	White	
LS603PLWV	<b>Incandescent</b> Lighted, 3-Way, Preset		
LSCL450**	<b>CFL/LED/Incandescent</b> Single Pole, Non-Preset	Black, Brown, Ivory, Light Almond, White	120VAC, 450W, CFL/LED; 700W Incandescent
LSCL453P**	<b>CFL/LED/Incandescent</b> 3-Way, Preset		
LSCLDC163P**	<b>CFL/LED/Incandescent</b> Single Pole/3-Way, Preset, Dimmer with Single Pole/3-Way, 3-Speed De-Hummer Fan Control	Black, Brown, Ivory, Light Almond, White	1.6A, (Fan Control); 120VAC, 150W CFL/LED; 300W Incandescent (Dimmer)
LSLV600**	<b>Magnetic Low Voltage</b> Single Pole, Non-Preset	Black, Brown, Ivory, Light Almond, White	120V, 600VA
LSLV600P**	<b>Magnetic Low Voltage</b> Single Pole, Preset		
LSLV603P**	<b>Magnetic Low Voltage</b> 3-Way, Preset		
LSDC16V**	<b>Fan Speed Control</b> 3-Speed De-Hummer Fan Speed Control, Non-Preset with Single Pole Incandescent Dimmer	Brown, Ivory, Light Almond, White	1.6A, (Fan Control); 120V, 150W CFL/LED; 300W Incandescent (Dimmer)
LSDC16PV**	<b>Fan Speed Control</b> 3-Speed De-Hummer Fan Speed Control, Preset with Single Pole Incandescent Dimmer	Brown, Black	
LSDH16V**	<b>Fan Speed Control</b> 4-Speed De-Hummer, Non-Preset	Black, Brown, Ivory, Light Almond, White	1.6A
LSSC5**	<b>Fan Speed Control</b> Single Pole with Adjustable Trim, Non-Preset		5A
LSSC5P**	<b>Fan Speed Control</b> Single Pole with Adjustable Trim, Preset		

All devices are  LISTED.

# Decorator Rotary Series Dimmers



PART NO.	DESCRIPTION	COLOR	RATING
DR1103P**V	<b>Incandescent</b> Single Pole/3-Way with Pilot Light, Preset	Black, Brown, Ivory, Light Almond, White	120V, 1100W
DR703P**V	<b>Incandescent</b> Single Pole/3-Way with Pilot Light, Preset	Black, Brown, Ivory, Light Almond, White	120V, 700W
DRLV1103P**	<b>Magnetic Low Voltage</b> Single Pole/3-Way with Pilot Light, Preset	Black, Brown, Ivory, Light Almond, White	120V, 1100VA
DRLV703P**			120V, 700VA
DRDH163P**V	<b>Fan Speed Control</b> 3-Speed De-Hummer Fan Speed Control with Single Pole/3-Way, Backlit Speed Indication, Preset	Black, Brown, Ivory, Light Almond, White	120V, 1.6A
DRSC53P**V	<b>Fan Speed Control</b> Continuously Variable, Single Pole/3-Way, Preset		120V, 5A



All devices are cUL<sup>®</sup> US LISTED.

#### \*\*COLOR DESIGNATION

<b>W</b>	White
<b>LA</b>	Light Almond
<b>I</b>	Ivory
<b>BK</b>	Black
<b>-</b>	Brown

# TradeMaster<sup>®</sup> Rotary Series Dimmers



PART NO.	DESCRIPTION	COLOR	RATING
R1000**V	<b>Incandescent</b> Single Pole with RFI Filtering, Non-Preset	Ivory, Light Almond, White	120V, 1000W
R1000P**V	<b>Incandescent</b> Single Pole with RFI Filtering, Preset		
R1003P**V	<b>Incandescent</b> 3-Way with RFI Filtering, Preset		
R600**V	<b>Incandescent</b> Single Pole with RFI Filtering, Non-Preset	Ivory, Light Almond, White	120V, 600W
R600P**V	<b>Incandescent</b> Single Pole with RFI Filtering, Preset		
R600PLTKV	<b>Incandescent</b> Single Pole with RFI Filtering, Preset	Three Interchangeable Face Colors: Ivory, White, Light Almond	
R603P**V	<b>Incandescent</b> 3-Way with RFI Filtering, Preset	Ivory, Light Almond, White	
R603PLTKV		Three Interchangeable Face Colors: Ivory, White, Light Almond	



All devices are cUL<sup>®</sup> US LISTED.

# TradeMaster® Toggle Dimmers



PART NO.	DESCRIPTION	COLOR	RATING
T1000**	<b>Incandescent</b> Single Pole, Non-Preset	Brown, Ivory, Light Almond, White	120V, 1000W
T1003**	<b>Incandescent</b> 3-Way, Non-Preset		
T600**	<b>Incandescent</b> Single Pole, Non-Preset	Brown, Ivory, Light Almond, White	120V, 600W
T603**	<b>Incandescent</b> 3-Way, Non-Preset		
TLV1003**	<b>Magnetic Low Voltage</b> 3-Way, Non-Preset	Ivory, Light Almond, White	120V, 1000VA
TLV603**			120V, 600VA
TD1103P**	<b>Incandescent</b> Single Pole/3-Way, Preset	Black, Brown, Ivory, Light Almond, White	120V, 1100W
TD703P**			120V, 700W
TDFB83P**	<b>Fluorescent</b> Single Pole/3-Way, Two Wire, Preset	Black, Brown, Ivory, Light Almond, White	120V, 8A
TDLV1103P**	<b>Magnetic Low Voltage</b> Single Pole/3-Way, Preset	Black, Brown, Ivory, Light Almond, White	120V, 1100VA
TDLV703P**			120V, 700VA
TSC5**	<b>Fan Speed Control</b> Adjustable Trim, Non-Preset	Ivory, Light Almond, White	120V, 5A
TDDH163P**	<b>Fan Speed Control</b> De-Hummer	Black, Brown, Ivory, Light Almond, White	120V, 1.6A

## \*\*COLOR DESIGNATION

<b>W</b>	White
<b>LA</b>	Light Almond
<b>I</b>	Ivory
<b>BK</b>	Black
<b>-</b>	Brown



All devices are c US LISTED.

## ADD A DECORATIVE TOUCH TO ANY DECOR



### SCREWLESS WALL PLATES

- Premium finishes that stand up to constant use
- Hidden screws create a sleek, seamless accent
- Available in single- and multiple-gang

# RFLC Dimmers



PART NO.	DESCRIPTION	COLOR	RATING
DRD4-*	In-Wall Forward-Phase Universal Dimmer	Almond, Black, Ivory White	600W
DRD2-*	In-Wall Incandescent Dimmer	Almond, Black, Ivory White	600W
DRD8-*-V2	In-Wall 3-Way Switch	Almond, Black, Ivory White	N/A
MR2000	In-Wall Box Incandescent Dimmer	Black	2000W
DRD3-*-V2	In-Wall Switch	Almond, Black, Ivory White	800W
DRD9-*	In-Wall Fan Speed Controller	Almond, Black, Ivory White	1.5A
DRD5-*-V2	In-Wall Whole House Scene Controller	Almond, Black, Ivory White	N/A
DRD6-*-V2	In-Wall Room Scene Controller	Almond, Black, Ivory White	N/A



PART NO.	DESCRIPTION
MRH5-G	Hand-Held Whole House Scene Controller, Black
MRH6-G	Hand-Held Room Scene Controller, Black
LC6001	RFLC Event Controller, Black
LC6400	RFLC Event Controller In-Wall Dimmer Kit
LC6401	RFLC Event Controller Plug-In Dimmer Kit
MRP6-W	Plug-In Lamp Module, White, 300W
MRP7-W	Plug-In Small Appliance Module, White, 800W
MR232-G	RS232 to RF Interface, Black
MRIR1	IR to RF Interface, Black
MRRC3-G	Room Scene Interface, Black
MRHC3-G	House Scene Interface, Black
MRR2-G	Repeater and Away Emulator, Black
MKFOB	Wireless Key Fob, Black







**Electrical Wiring Systems**

P.O. Box 4822  
Syracuse, NY 13221-4822  
800.776.4035  
[www.legrand.us/PassandSeymour](http://www.legrand.us/PassandSeymour)

570 Applewood Crescent  
Vaughan, Ontario L4K 4B4  
905.738.9195  
[www.legrand.ca](http://www.legrand.ca)

For additional technical or application-specific information, call 800-223-4185 or visit our website at [www.legrand.us/PassandSeymour](http://www.legrand.us/PassandSeymour). We're eager to put our expertise to work for you.

FOLLOW US

